



# ET200-001

## Dual Air Gap for Dishwasher and Reverse Osmosis Filters



### Features:

- Can simultaneously drain dishwasher and RO system
- Accepts standard 5/8-inch I.D. hose from a dishwasher
- Connects to drain with 7/8-inch I.D. hose
- Provides 1/4-inch push-in connector for RO discharge
- Eliminates gurgling or dripping sounds
- UPC® listed, tested for compliance to IPC® and NSF® standards

### General Description:

A dishwasher air gap is a critical component in maintaining a safe water supply. It prevents contaminants in the sink or drain from flowing into the dishwasher and is required by code in most states.

The ET200-001 dual air gap provides two inlet ports for simultaneous drainage of discharge water from a single dishwasher, and a reverse osmosis filter. The combination of two air gaps in one provides an easy way to connect the RO system into drainage system safely.

This air gap is easy to use and legal to install in any state. The ET200-001 air gap is listed by UPC and tested for compliance with IPC and NSF standards.

### Mechanical Specifications:

- Width: 3-3/4 inches
- Height above counter: 3 inches

### Accessories (included):

- Inner cap
- Compression Top Nut
- Deck Mount Middle Nut
- Undercounter Bottom Nut
- Chrome Cover Cap
- Deck Gasket
- Inner Cap Custom O-Ring
- 1/2-inch MIPT x 1/4-inch quick connect

### Inlet/Outlet Specifications:

- Inlet (dishwasher): 5/8-inch OD
- Inlet (RO): 1/4-inch push-in
- Outlet: 7/8-inch OD

### Material

- Body: Polypropylene
- Decorative cap: Chrome plated ABS

### Approvals

- UPC: Listed
- IPC: Tested by independent lab
- NSF: Tested by independent lab

### Alternative PN:

- TAG-25QC, DLA-TAG