Placentia, California

8 10732 03309 8

Model:

ET113-002

1-½" X 8" - 7/8" BRANCH, DISHWASHER DRAIN ADAPTER

- For Single Compartment Sink without Disposal



MADE IN USA
ASTM F 409

ASTM F 409

Serving the Reverse Osmosis Water Treatment Industry

Copyright @ AIRGAP INTERNATIONAL a Division of Altinex Inc.

500 S Jefferson Street, Placentia CA 92870 USA • 949-955-3928 • Email: orders@airgap.com

Doc. # 400-0879-001

ET113-002

Installation Procedures

For Single Compartment Sink without Disposal

LIST OF PARTS ENCLOSED



1 – Branch Tailpiece.....

1 – Flanged Tailpiece.....

2 – Slip Joint Wing Nuts.....

1 – Slip Joint Beveled Washers .....

- ***The ET113-002 is designed to connect a dishwasher to a plumbing drainage system. It is used with the AG200 series air gaps in the absence of a garbage disposal***
- ***The branch of the ET113-002 accommodates 7/8-inch ID drain hose from the the AG200-XXX air gap.***

CONFIGURATION – *(Recommended)*

1. Disconnect tailpiece from the sink.Remove J-bend from disposal and trap. Use a bowl to catch trap water. (See Fig. 1)



FIG. 1

2. Reuse gasket from under the sink connection by mounting on the flanged tailpiece part of ET113-002. (See Fig. 2)

3. Using provided nut, connect flanged tailpiece under the sink. (See Fig. 2)



FIG. 2

4. Install branch tailpiece of ET113-002 drain line adapter to the end of flanged tailpiece under the sink using provided washer and wing nut. (See Fig. 3)



FIG. 3

5. Replace J-bend by sliding onto trap and tailpiece of ET113-002 simultaneously. Secure tightly by reusing original nuts and washer. (See Fig. 4)



FIG. 4

6. Connect the 7/8" dishwasher drain hose to the barb on ET113-002 branched tailpiece using hose clamp. (See Fig. 5)



FIG. 5

IMPORTANT:

- Tube should be lower on drain side than disposal side.

CAUTION:

- Be careful not to overtighten nuts on plastic fittings.
- Check for leak-free connection.
- Long tubes may require mechanical support.

-OVER-